




BAROMETER ANTIBIOTIC USE

JULY 2019 – JUNE 2021


BAROMETER SANITEL-MED: TOTAL AB USE IN PIGS, POULTRY AND VEAL CALVES

Evolution of ton AB used per ANIMAL TYPE in Sanitel-Med with reference to sales data of 2020



BAROMETER SANITEL-MED: TOTAL AB USE IN PIGS, POULTRY AND VEAL CALVES (2)






BAROMETER SANITEL-MED: USE OF RED MOLECULES – (FLUORO)QUINOLONES






BAROMETER SANITEL-MED: USE OF RED MOLECULES – CEPHALOSPORINES 3G/4G




BAROMETER SANITEL-MED: USE OF COLISTIN






BAROMETER SANITEL-MED: USE OF ZINC OXIDE IN PIGS

Evolution of ton ZnO used and percentage of PIG farms where it was used in Sanitel-Med with reference to sales data of 2020




BAROMETER SANITEL-MED: USE OF ZINC OXIDE & COLISTIN IN PIGS



BAROMETER SANITEL-MED: USE OF ZINC OXIDE & COLISTINE IN WEANED PIGLETS

Evolution of percentage of farms with WEANED PIGLETS (PIGLW) treating them with ZnO and/or colistin in Sanitel-Med







CONTACT INFORMATION

SANITELMED@FAGG.BE